EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA-25SSIU4F



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

Manufacturer:	lsuzu			Bore:	3.35	in.	(85	mm)
Model:	4LE2T			Stroke:	3.78	in.	(96	mm)
Туре:	4-Cycle, In-Line, 4-Cylind	er, Diesel		Displacement	133	cid	(2.2	liters)
Aspiration:	Turbocharger, ECM, EGR Electronic Direct Injection	Compression	Ratio:	17.6	17.6:1			
PERFORMA	NCE DATA							
SAE Gross HF	9 @ 1800 RPM (60 Hz)	40	.2					
Rated Load Fu	el Consumption (gal/Hr)	1.6	62					
Rated Load Ex	chaust Gas Flow (cfm)	14	8					
Rated Load Ex	chaust Gas Temperature	(°F) 84	7					
Un	ited States EPA - M	obile O	ff-Highway Tier 4	Limits -			25	≤ ~ <50 BH F
	eria Pollutant		sion Requirements	Certifie	d Enai	ne E	missi	ons
	of Nitrogen as NO2)	N/A	gr/bhp-hr	N/A		hp-hr		
·	urned Hydrocarbons)	N/A	gr/bhp-hr	N/A	-	hp-hr		
NOx + HC (Co	mbined)	N/A	gr/bhp-hr	N/A	•	hp-hr		
CO (Carbon M	lonoxide)	4.10	gr/bhp-hr	0.022	-	hp-hr		
PM (Particulat	e Matter)	0.022	gr/bhp-hr	0.022	gr/bl	hp-hr		
		N/A	gr/bhp-hr	N/A	gr/bl	hp-hr		
NMHC (Non-M	ethane Hydrocarbons)							
NMHC (Non-M NMHC + NOx	ethane Hydrocarbons)	3.50	gr/bhp-hr	2.75	gr/bł	np-hr		
•		3.50 ZXL02.2Z	•	2.75	gr/bł	np-nr		
NMHC + NOx EPA Engine F	amily: HS		ТВ	2.75	gr/bł	np-hr		
NMHC + NOx EPA Engine F	amily: HS e of Conformance: HS	ZXL02.2Z	TB TB-009	2.75	gr/bł	np-hr		
NMHC + NOx EPA Engine F EPA Certificat	amily: HS e of Conformance: HS e Order: U-I	ZXL02.2Z ZXL02.2Z	тв тв-009 33	2.75	gr/bł	np-hr		

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFK 1006 and autobrized in a warrant or court order. Faiture to courby with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void <i>ab initio</i> for other reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void <i>ab initio</i> for other reasons specified in 40 CFR Part 1039.	Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more fully described in the documentation required by 40 CFR Part 1039 and produced in the stated model year. This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 1039.	Model Year: 2017 Manufacturer Type: Original Engine Manufacturer Engine Family: HSZXL02.2ZTB	Certificate Issued To: Isuzu Motors Limited (U.S. Manufacturer or Importer) Certificate Number: HSZXL02.2ZTB-009	UNITED STATES ENVIRONMENTAL PROTECTION AGE 2017 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT
in 40 CFK 1008 and au seified in 40 CFR Part 1 introduction, into comm	9, and subject to the ter rements and which repr nform in all material re- ar stated on this certifica	Mobile/S Emission Fuel Typ After Tr Non-afte	Effective Date: 06/10/2016 Expiration Date: 12/31/2017	AL PROTECTIO VEAR CONFORMITY N AIR ACT
1039. It is also a term of this or 1039 in the U.S. prior to the efficience in the U.S. prior to the efficience of the	ms and conditions prescribed in resent the following engines, by spects to the design specification ate of the said manufacturer, as	Mobile/Stationary Indicator: Mobile Emissions Power Category: 19<=kW<37 Fuel Type: Diesel After Treatment Devices: Diesel Oxidation Catalyst Non-after Treatment Devices: Electronic Control, E	Byron J. Bunker Complian	N AGENCY
rective date of the certificate.	n those provisions, this certificate o y engine family, more fully describe ons that applied to those engines des defined in 40 CFR Part 1039.	Mobile/Stationary Indicator: Mobile Emissions Power Category: 19<=kW<37 Fuel Type: Diesel After Treatment Devices: Diesel Oxidation Catalyst Non-after Treatment Devices: Electronic Control, Electronic/Electric EGR - Cooled	UU J. MANNUS Byron J. Bunker, Division Director Compliance Division	OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105
, revoked or suspended or	f conformity is hereby ed in the documentation scribed in the	R - Cooled	Issue Date: 06/10/2016 Revision Date: N/A	PORTATION ALITY HIGAN 48105

Celifornia Environmental Protection Agency		EXECUTIVE ORDER U-R-006-0433
OB Air Persuineen Beend	ISUZU MOTORS LIMITED	New Off-Road
OD Air Resources Board		Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2017	HSZXL02.2ZTB	2.179	Diesel	5000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Electronic Control Module, Exhaust Gas Recirculation, Diesel Oxidation Catalyst, Turbocharger, Electronic Direction Injection			Generator			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD		EXHAUST (g/kw-hr)					OPACITY (%)		
	CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
19 ≤ kW < 37	Tier 4 Final	STD	N/A	N/A	4.7	5.5	0.03	N/A	N/A	N/A
		CERT			3.7	0.03	0.03			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

JHL day of August 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division