EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA-45SSIU4F



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

	suzu			Bore:	3.35	in.	(85	mm)
Manufacturer: 19 Model: 4	LE2X	Stroke:	3.78	in.	(96	mm)		
incucii	-Cycle, In-Line, 4-Cylinde	Displacement		cid	(2.2	liters)		
	urbocharger, ECM, EGR	Compression			17.6	,		
	Electronic Direct Injection,	Compression	Ratio.					
PERFORMAN	ICE DATA							
SAE Gross HP	2 1800 RPM (60 Hz)	65	.7					
Rated Load Fuel	Consumption (gal/Hr)	2.9	93					
Rated Load Exh	aust Gas Flow (cfm)	23	7					
Rated Load Exh	aust Gas Temperature	(⁰F) 10	78					
Unite	ed States EPA - M	obile O	ff-Highway Tier 4	Limits -			50 :	≤ ~ <75 BHF
	ed States EPA - M a Pollutant		ff-Highway Tier 4 sion Requirements	Limits -	d Engi	ne Ei		
Criteri					-	ne E i hp-hr	missio	
Criteri NOx (Oxides of	a Pollutant	Emis	sion Requirements	Certifie	gr/b		missio	
Criteri NOx (Oxides of	a Pollutant Nitrogen as NO2) ned Hydrocarbons)	Emis N/A	sion Requirements gr/bhp-hr	Certifie N/A	gr/b gr/bl	hp-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined)	Emis N/A N/A	sion Requirements gr/bhp-hr gr/bhp-hr	Certifie N/A N/A	gr/b gr/bl gr/bl	hp-hr hp-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide)	Emis N/A N/A N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie N/A N/A N/A	gr/b gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com CO (Carbon Mo PM (Particulate	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide)	Emis N/A N/A N/A 3.72	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie N/A N/A N/A 0.007	gr/b gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com CO (Carbon Mo PM (Particulate	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide) Matter)	Emis N/A N/A N/A 3.72 0.022	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie N/A N/A N/A 0.007 0.014	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com CO (Carbon Mo PM (Particulate NMHC (Non-Meth	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide) Matter) hane Hydrocarbons)	Emis N/A N/A 3.72 0.022 N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie N/A N/A N/A 0.007 0.014 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr np-hr np-hr np-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com CO (Carbon Mo PM (Particulate NMHC (Non-Meth NMHC + NOx EPA Engine Fan	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide) Matter) hane Hydrocarbons) nily: GS	Emis N/A N/A 3.72 0.022 N/A 3.50	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie N/A N/A N/A 0.007 0.014 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr np-hr np-hr np-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com CO (Carbon Mo PM (Particulate NMHC (Non-Meth NMHC + NOx EPA Engine Fan	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide) Matter) hane Hydrocarbons) nily: GS2 of Conformance: GS2	Emis N/A N/A 3.72 0.022 N/A 3.50 ZXL02.2P	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr xB	Certifie N/A N/A N/A 0.007 0.014 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr np-hr np-hr np-hr	missio	
Criteri NOx (Oxides of HC (Total Unbur NOx + HC (Com CO (Carbon Mo PM (Particulate NMHC (Non-Meth NMHC + NOx EPA Engine Fan EPA Certificate	a Pollutant Nitrogen as NO2) ned Hydrocarbons) bined) noxide) Matter) hane Hydrocarbons) nily: GSJ of Conformance: GSJ Order: U-F	Emis N/A N/A 3.72 0.022 N/A 3.50 ZXL02.2P	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr 3XB	Certifie N/A N/A N/A 0.007 0.014 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr np-hr np-hr np-hr	missio	

TION 48105	Issue Date: 08/07/2015 Revision Date: N/A		ty is hereby ocumentation the s of such a or suspended or
OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105	J Bunker, Division Director Revi	Mobile/Stationary Indicator: Mobile Emissions Power Category: 37<=kW<56 Fuel Type: Diesel After Treatment Devices: Diesel Oxidation Catalyst Non-after Treatment Devices: Electronic Control, Electronic/Electric EGR - Cooled	in those provisions, this certificate of conformi by engine family, more fully described in the d tions that applied to those engines described in as defined in 40 CFR Part 1039. t order. Failure to comply with the requirement certificate that this certificate may be revoked o effective date of the certificate.
TION AGENCY	Byron J Bunk	Mobile/Stationary Indicator: Mobile Emissions Power Category: 37<=kW<56 Fuel Type: Diesel After Treatment Devices: Diesel Oxidation Catalyst Non-after Treatment Devices: Electronic Control, E	ER Part 1039, and subject to the terms and conditions prescribed in those provisions, this certific licable requirements and which represent the following engines, by engine family, more fully de es which conform in all material respects to the design specifications that applied to those engine model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 1039. It is also a term of this certificate that this certificate m reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate m creasons the creason c
ES ENVIRONMENTAL PROTECT 2016 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT	Effective Date: 08/07/2015 Expiration Date: 12/31/2016	Mob Emis Fuel After Non-	art 1039, and subject to the e requirements and which del year stated on this cer cribed in 40 CFR 1068 an ons specified in 40 CFR F ons specified in 40 CFR F
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 2016 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT	Isuzu Motors Limited (U.S. Manufacturer or Importer) SSZXL02.2PXB-002	al Engine Manufacturer PXB	Parsauri to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 1039, and subject to the terms and conditions prescribed in those provisions, this certificante of conformity is beeeby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines. By engine family, more fully described in the commentation required by 40 CFR Part 1039 and whole are wormpression rigition ergines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and whole are compression rigition ergines which conform in all material respects to the staid manufacturer shall concert to all inspections described in 40 CFR Part 1039. It is a term of this certificate that the manufacturer shall concert to all inspections described in 40 CFR Part 1039. It is a term of this certificate that the manufacturer state configuration of this certificate of the staid manufacturer is a specified in 40 CFR Part 1039. It is a term of this certificate that the manufacturer state concert of the state and the certificate of the state manufacturer state concerts of the state manufacturer are applied to those engines described in the certificate of the state mater court ofter may be revoked or supports of the state and the certificate of the state and the term state specified in 40 CFR Part 1039. This state and the state and the term of this certificate and the term of this certificate of the state and the term of the term of the term of the term and the term of the
NONDO AGENCIA	Certificate Issued To: Isuzu Motors Limi (U.S. Manufacturer oi Certificate Number: GSZXL02.2PXB-002	Model Year: 2016 Manufacturer Type: Original Engine Manufacturer Engine Family: GSZXL02.2PXB	Pursuant to Section 213 of the issued with respect to the test required by 40 CFR Part 1035 This certificate of conformity documentation required by 40 It is a term of this certificate t warrant or court order may let rendered void <i>ab initio</i> for oth This certificate does not covel This certificate does not covel

California Environmental Protection Agency		EXECUTIVE ORDER U-R-006-0413
O Air Resources Board	ISUZU MOTORS LIMITED	New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FIFT TYPE		
2016	GSZXL02.2PXB	2.179	Diesel	8000	
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION		
Coole	nic Control Module, Turbo er, Electronic Direct Injecti Recirculation, Diesel Oxida	on, Exhaust Gas	Generator		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)				OPACITY (%)			
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
37 ≤ kW < 56	Tier 4 Final	STD	N/A	N/A	4.7	5.0	0.03	N/A	N/A	N/A
		CERT			3.2	0.01	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Fourers Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division