## **EXHAUST EMISSION DATA SHEET**

## **MQ POWER GENERATOR SET**

Model: TLG8SSK4F2



## The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

			_	2 5 2		(64)
Manufacturer: KUBOTA			Bore:		in.	(64 mm)
Model: Z482			Stroke:		in.	(68 mm)
Type:4-Cycle, In-Line, 2-Cylind			Displacement	: 29.2	cid	(0.479 liters)
Aspiration: Naturally Aspirated, Indire	ect Injection		Compression	Ratio:		23:1
PERFORMANCE DATA						
SAE Gross HP @ 3600 RPM (60 Hz)	12.3					
Rated Load Fuel Consumption (gal/Hr)	0.69					
Rated Load Exhaust Gas Flow (cfm)	66					
Rated Load Exhaust Gas Temperature	(°F) 932					
-						
United States EPA - N	lobile Off-⊦	lighway Tier 4	Limits -			$0 \leq $ ~ < 25 BH
United States EPA - N Criteria Pollutant		Highway Tier 4		d Engir	ne Er	$0 \leq $ ~ < 25 BH
	Emissior			<b>d Engir</b> gr/bh		missions
Criteria Pollutant	<b>Emissio</b> r N/A gi	n Requirements	Certifie		ıp-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2)	Emissior N/A gi N/A g	n Requirements r/bhp-hr	Certifie N/A	gr/bh	ip-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons)	Emissior N/A gr N/A gr N/A gr	n Requirements r/bhp-hr r/bhp-hr	Certifie N/A N/A	gr/bh gr/bh	ıp-hr p-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined)	Emission N/A gr N/A gr N/A gr 4.92 gr	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A	gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide)	Emission N/A gr N/A gr N/A gr 4.92 gr 0.29 gr	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A 1.86	gr/bh gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter)	Emission N/A gr N/A gr N/A gr 4.92 gr 0.29 gr N/A gr	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A 1.86 0.15	gr/bh gr/bh gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr p-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx	Emission N/A gr N/A gr N/A gr 4.92 gr 0.29 gr N/A gr	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A 1.86 0.15 N/A	gr/bh gr/bh gr/bh gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr p-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx EPA Engine Family: JKI	Emission   N/A gr   N/A gr   N/A gr   0.29 gr   N/A gr   5.59 gr	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A 1.86 0.15 N/A	gr/bh gr/bh gr/bh gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr p-hr p-hr	missions
Criteria Pollutant NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx EPA Engine Family: JKI EPA Certificate of Conformance: JKI	Emission   N/A gr   N/A gr   N/A gr   1.92 gr   0.29 gr   N/A gr   5.59 gr   BXL.719KCC BXL.719KCC	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A 1.86 0.15 N/A	gr/bh gr/bh gr/bh gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr p-hr p-hr	missions
Criteria PollutantNOx (Oxides of Nitrogen as NO2)HC (Total Unburned Hydrocarbons)NOx + HC (Combined)CO (Carbon Monoxide)PM (Particulate Matter)NMHC (Non-Methane Hydrocarbons)NMHC + NOxEPA Engine Family:JKIEPA Certificate of Conformance:JKIARB Executive Order:	Emission N/A gr N/A gr N/A gr 0.29 gr N/A gr 5.59 gr BXL.719KCC-0	n Requirements r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr r/bhp-hr	Certifie N/A N/A N/A 1.86 0.15 N/A	gr/bh gr/bh gr/bh gr/bh gr/bh gr/bh	ip-hr p-hr p-hr p-hr p-hr p-hr	missions

Styles Protection	CERTIFICATE	IENTAL PROTECT DEL YEAR OF CONFORMITY CLEAN AIR ACT		OFFICE OF TRANSI AND AIR QUA ANN ARBOR, MICH	ALITY
			그 그는 물건이 있는 것이 같은 것은 것이 없다. 그는 것이 없는 것이 없다. 이 나는 것이 없는 것이 없 않이	$\frown$	
Certificate Issued To: Kub (U.S. 1	oota Corporation Manufacturer or Importer)	Effective Date: 10/10/2017	Am 1.	/m.	Issue Date: 10/10/2017
Certificate Number: JKBX	L.719KCC-017	<b>Expiration Date:</b>	1 - 7-		<b>Revision Date:</b>

Model Year: 2018 Manufacturer Type: Original Engine Manufacturer	Mobile/Stationary Indicator: Mobile Emissions Power Category: 8<=kW<19
Engine Family: JKBXL.719KCC	Fuel Type: Diesel
	After Treatment Devices: No After Treatment Devices Installed
	Non-after Treatment Devices: Engine Design Modification

12/31/2018

Byron J, Bunker, Division Director

**Compliance** Division

N/A

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more fully described in the documentation required by 40 CFR Part 1039 and produced in the stated model year.

This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 1039.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void *ab initio* for other reasons specified in 40 CFR Part 1039.

.

AL PROT

This certificate does not cover engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

California Environmental Protection Agency		EXECUTIVE ORDER U-R-025-0764
Chain Deserves a Deserve	KUBOTA Corporation	New Off-Road
OD Air Resources Board		Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2018	JKBXL.719KCC	0.479, 0.719	Diesel	3000
	FEATURES & EMISSION		TYPICAL EQUIPMENT	APPLICATION
	Indirect Diesel Inje	ection	Generator Set, Light Tower, Weld	der, Auxiliary Power Unit

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	EXHAUST (g/kW-h	ır)		OF	PACITY (%	6)
POWER	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
kW < 19	Tier 4 Final	OPTIONAL STD	N/A	- N/A	7.5	6.6	0.40	N/A	N/A	N/A
		CERT			6.0	2.5	0.21			

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part I-D" adopted October 20, 2005 and last amended October 25, 2012.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of September 2017.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division Engine Model Summary Form

Manufacturer:KUBOTA CorporationEngine category:Nonroad ClEPA Engine Family:JKBXL.719KCCMfr Family Name:N/AProcess Code:New Submission

Attachment page 1 of 1

EO#U-R-025-0764 Date: 9/15/2017

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9. Emission Control Device Per SAE J1930
D722-D2-EF01	D722-D2-EF	20.2@3600	15.2	9.2	29.6@3600	15.2	9.2	EM, IFI
Z482-D2-EF01	Z482-D2-EF	13.8@3600	15.4	6.2	20.1@3600	15.4	6.2	EM, IFI
Z482-D2-EF02	Z482-D2-EF	13.1@3600	15.2	6.1	19.2@3600	15.2	6.1	EM, IFI
Z482-D2-EF03	Z482-D2-EF	12.7@3600	14.7	5.9	18.6@3600	14.7	5.9	EM, IFI
Z482-D2-EF04	Z482-D2-EF	12.2@3600	14.2	5.7	17.8@3600	14.2	5.7	EM, IFI
Z482-D2-EF05	Z482-D2-EF	9.5@2600	14.3	4.2	19.3@2600	14.3	4.2	EM, IFI
Z482-D2-EF06	Z482-D2-EF	11.0@3000	·14.6	4.9	19.3@3000	14.6	4.9	EM, IFI
Z482-D2-EF07	Z482-D2-EF	6.0@1800	13.6	2.7	17.6@1800	13.6	2.7	EM, IFI
Z482-D2-EF07e	Z482-D2-EF	6.0@1800	13.6	2.7	17.6@1800	13.6	2.7	EM, IFI
Z482-D2-EF08	Z482-D2-EF	8.7@2400	14.0	3.8	19.1@2400	14.0	3.8	EM, IFI
20								